



INDO • FITTING

PRODUCT CATALOG





Signature Integrated Soft Closing

Seamless harmony of performance and quality

Crafted for Perfection

Precision signature craftsmanship for its class

Adaptive Flexibility

Signature 3D adjustment, versatility at its finest



Functionally Elegant

Sophistication paired with state-of-the-art yet durable finishing

Two-way Integrated Soft Closing

Seamless harmony of motion, smooth and versatile

Hassle-free Adjustment

CAM 3D adjustment, simplicity and seamless adaptability*

Essenta Signature Series Integrated Soft Closing



Essenta standard hinge

- 105° opening angle
- Door thickness of 14 - 22mm
- Integrated silent system
- Nickel plated
- 3-Dimensional adjustment

Door application	Item code
Full Overlay	IDFS.100001
Half Overlay	IDFS.100002
Inset	IDFS.100003



Essenta wide angle hinge

- 165° opening angle
- Door thickness of 14 - 26mm
- Integrated silent system
- Nickel plated
- 3-Dimensional adjustment

Door application	Item code
Full Overlay	IDFS.200001



Essenta for aluminium frame

- 105° opening angle
- Door thickness of 14 - 23mm
- Integrated silent system
- Nickel plated
- Drilling size on aluminium frame Ø28mm

Door application	Item code
Full Overlay	IDFS.300001
Half Overlay	IDFS.300002

EASY Clip Series Integrated Soft Closing



EASY Clip standard hinge

- 105° opening angle
- Door thickness of 16 - 28mm
- Integrated silent system
- Nickel plated
- 3-Dimensional adjustment

Door application	Item code
Full Overlay	IDFE.100001
Half Overlay	IDFE.100002
Inset	IDFE.100003



EASY Clip wide angle hinge

- 165° opening angle
- Door thickness of 12 - 26mm
- Integrated silent system
- Nickel plated
- 3-Dimensional adjustment

Door application	Item code
Full Overlay	IDFE.200001



EASY Clip for aluminium frame

- 105° opening angle
- Door thickness of 18 - 27mm
- Integrated silent system
- Nickel plated
- Drilling size on aluminium frame Ø28mm

Door application	Item code
Full Overlay	IDFE.300001
Half Overlay	IDFE.300002
Inset	IDFE.300002

Titanium Series Integrated Soft Closing



Titania standard hinge

- 105° opening angle
- Door thickness of 16 - 28mm
- Integrated silent system
- Iron with nickel plated
- 3-Dimensional adjustment

Door application	Item code
Full Overlay	IDFT.100001
Half Overlay	IDFT.100002
Inset	IDFS.100003



Titania wide angle hinge

- 165° opening angle
- Door thickness of 12 - 26mm
- Integrated silent system
- Iron with nickel plated
- 3-Dimensional adjustment

Door application	Item code
Full Overlay	IDFT.200001



Titania for aluminium frame

- 105° opening angle
- Door thickness of 18 - 27mm
- Integrated silent system
- Iron with nickel plated
- Drilling size on aluminium frame Ø28mm

Door application	Item code
Full Overlay	IDFT.300001
Half Overlay	IDFT.300002
Inset	IDFT.300003

Signature Series Integrated Soft Closing Undermounted Slides, load capacity 40kg



Synchronized Motion

Seamless motion with smoother, anti-stalling performance

Solution for Performance

Signature performance ensuring excellent lateral stability with gentle silent system

Precision Crafted Flexibility

Signature 3D adjustments enabling precise on-site refining for perfect design

Features:

- Synchronized Movement, Smooth and Integrated Soft Closing System
- Quick and Easy drawer assembly and dismantling system
- 3D Locking Systems Adjustments
- Full Extension undermount slides

Slides (Left/Right) Locking Device (Left/Right)	Nominal Length	Item Code
	260 mm	IDFS.400000
	300 mm	IDFS.400001
	350 mm	IDFS.400002
	400 mm	IDFS.400003
	450 mm	IDFS.400004
	500 mm	IDFS.400005
	550 mm	IDFS.400006

Super Rail - Ball Bearing, load capacity 45kg



Features:

- Finish: Black (D01)
- Full extension
- Soft-close
- Single way travel



Rail (Left/Right)	Nominal Length	Item Code
	250 mm	4587110H
	300 mm	4587112H
	350 mm	4587114H
	400 mm	4587116H
	450 mm	4587118H
	500 mm	4587120H

COMPACTA

Corner Unit




Description

- Load capacity up to 25kg
- Integrated soft closing
- Left/right opening method
- User-Friendly Setup
- Minimum door width 450mm


Installation method	Item code
Left sided	IDFK.100001
Right sided	IDFK.100002

Dimension



W. 795
D. 420
H. 614-684

Kit Package




Bottle rack



Description

- Load capacity up to 20kg
- Integrated soft closing
- Material: Aluminum + wood
- Finish: Iron grey
- Runner accessory: 1 set full extension soft closing concealed slide
- 3pcs dividers
- User-Friendly Setup

Dimension



W. 105/636/366
D. 465
H. 473

Cabinet width	Installation method	Item code
150	Left sided	IDFK.200001
300	Bottom mounted	IDFK.200002


Pull Down



Description

- Load capacity up to 12kg
- Integrated soft closing
- Material: Steel + Aluminum
- Finish: Iron grey + wood grain
- User-Friendly Setup

Dimension



W. 562/852
D. 270
H. 560

Cabinet width	Item code
600	IDFK.400001
900	IDFK.400002


OT-Mini One Touch Push Opening and Soft Closing Door System





- OT Mini - L (Light Version) for cabinet installed 2-3 hinges
- Opening angle 110°
- Loading Capacity up to 10 Kg
- Max. door height 1200 mm
- Max. door width 600 mm

	Version	Item Code
	Light (10kg)	IDFO.100001


Production Detail



Main Parts




The quantity of soft close hinges for the door.
The quantity of hinges depends on the width, the height and the weight of door.
Please thak the drawing to the right for reference.



COMPACTA

Larder Unit with 5 layers




Description


- Load capacity up to 50kg
- Integrated soft closing
- Material: Steel
- Finish: Iron grey
- User-Friendly Setup
- Minimum door width 600mm

Cabinet width	Item code
600	IDFK.300001

Kit Package



Swivel Out Tall unit with 5 layer



Description

- Load capacity up to 50kg
- Integrated soft closing
- Material: Steel
- Finish: Iron grey
- User-Friendly Setup
- Door width 450mm

Cabinet width	Item code
450	IDFK.900001

Kit Package

COMPACTA


Aluminium Cutlery Tray



Description

- Material: Aluminum + wood
- Finish: Iron grey
- Two optional dimension
- Plug-and-Play setup

Dimension



W. 100/190
D. 478
H. 50

Dimension	Item code
100 x 478 x 50	IDFK.500001
190 x 478 x 50	IDFK.500002


Steel Dish Rack



Description

- Material: Steel + Plastic
- Finish: Iron Grey
- User-Friendly Setup
- Cabinet width: 900mm

Dimension



W. 864
D. 276
H. 209 (64)

Kit package



Cabinet width	Item code
600	IDFK.800001
900	IDFK.800002

Bowl and Dish Rack



Description


- Material: Aluminum + ABS
- Finish: Iron grey
- User-Friendly Setup



Dimension



W. 97
D. 470
H. 80



W. 122
D. 470
H. 80

Dimension	Item code
97x470x80	IDFK.600001
122x470x80	IDFK.600002

Division Rack Plate



Description

- Material: Aluminum + ABS
- Finish: Seel: Iron grey
- User-Friendly Setup




Part



W. 150 H. 11 D. 425

Division Rack Plate



W. 150 H. 11 D. 158/258

Extender Part



W. 19 L.19 H.96

Spacer Rod


Part	Dimension	Item code
Division Rack Plate	W.150 H.11 D.425	IDFK.700001
Extender Part Big	W. 150 H.11 D.258	IDFK.700002
Extender Part Small	W. 150 H.11 D.158	IDFK.700003
Spacer Rod	W. 19 L.19 H.96	IDFK.700004

COMPACTA

Revolving Shoe Rack



Dimension



W. 750

D. 430

H. 790-900/1070-1270/1630-1830

Description

- Include 1 set ball bearing runner
- Material: Steel + Plastic
- Finish: Steel Iron grey
- User-Friendly Setup
- Minimum door width 800mm

Layers	Item code
4	IDFW.400001
6	IDFW.400002
10	IDFW.400003

Kit package

Trouser Rack and Division Box with Frame




Description

- Material: Aluminum
- Finish: Iron grey
- User-Friendly Setup
- Full extension soft closing concealed runner

Runner and Frame	Item code
For Cabinet 600	IDFW.200001
For Cabinet 800	IDFW.200002
For Cabinet 900	IDFW.200003

Accessories	Item code
Trouser Bar	IDFW.200004
Division Box	IDFW.200005

Dimension




W. 564/764/864

D. 480

H. 71

Runner and frame



Accessories



COMPACTA

Storage Panel Basket Set



Description

- Material: aluminum+imitation leather
- Finish: Iron grey
- User-Friendly Setup
- Full extension soft closing concealed runner

Application

For Cabinet 600

For Cabinet 800

For Cabinet 900


Item code

IDFW.300001

IDFW.300002

IDFW.300003

Dimension



W. 564/764/864

D. 480

H. 71

Kit Package




Side Mounted Trousers Rack



Description

- Material: Steel + Plastic
- Finish: Steel: Iron grey + Plastic: Black
- User-Friendly Setup

Dimension




W. 370

D. 470

H. 125

Kit package



8x ST4x16 flat head screw


Heavy Duty Pull Out Hanger



Description

- Material: steel + plastic
- Finish: Iron grey
- User-Friendly Setup
- Full extension soft closing concealed runner

Dimension



W. 125

D. 420

H. 125

Kit Package



Min. Cabinet width

600

Item code

IDFW.100001

Min. Cabinet width


500

Item code

IDFW.700001

COMPACTA

Storage Panel Basket Set



Description

- Material: Leatherleather
- Finish: Red
- User-Friendly Setup

Version	Item code
Leather Storage Box	IDFW.300004
Leather Storage Plain Box	IDFW.300005
Leather Storage Box Jewellery	IDFW.300006
Leather Storage Box Watches & Belt	IDFW.300007

Version

 <p>W. 100 D. 390 H. 50</p> <p>Leather Storage Box</p>	 <p>W. 200 D. 390 H. 50</p> <p>Leather Storage Plain Box</p>	 <p>W. 200 D. 390 H. 50</p> <p>Leather Storage Box Jewellery</p>	 <p>W. 200 D. 390 H. 50</p> <p>Leather Storage Box Watches & Belt</p>
---	---	--	--

Lock Box




Description

- Material: Steel
- Finish: Housing (Black), Interior (Grey)
- User-Friendly Setup
- Touch screen password unlocking
- For cabinet width 600mm

Cabinet width (mm)	Item code
600 mm	IDFW.500001

Dimension



W. 564
D. 420
H. 150

Kit Package





MAGIC-PRO

The Metal Straight-sided Slim Drawer

MAGIC-PRO drawer systems, with smooth and stable running action and effortless closing, are suitable for high-end kitchens, bathrooms and other home spaces.

Features:

- Four drawer heights : 88mm, 126mm, 174 mm, 238 mm.
- Inner drawer front and drawer side - possible to have various material (glass, wood, stone) as design options.
- Up & down, left & right and tilt adjustments.
- More efficient and convenient assembly and removal.
- Concealed, full extension
- Load capacity: 40/60kg
- Silent system guarantees smooth run without noise



ULTRA-SLIM DRAWER SYSTEMS PURE-PRO

Comfort can be realized in the motion of a large, fully loaded drawer that is well organized and opens and closes smoothly and silently.

The 6mm ultra-slim drawer sides enable maximum interior drawer space. Beautiful and practical with transparent glass, PURE-PRO can be an integral design element in personalized kitchen

Features:

- Drawer side can be outfitted with glass or wood inserts to create an individual style.
- Up & down, left & right and tilt adjustments.
- More efficient and convenient assembly and removal.
- Concealed, full extension
- Load capacity: 40kg
- Silent system guarantees smooth run without noise



MAGIC-PRO

Low standard drawer 88mm, NL 500mm		Medium standard drawer 126mm, NL 500mm		High standard drawer 174mm, NL 500mm		Super high standard drawer 238mm, NL 500mm	
Kit Package 		Kit Package 		Kit Package 		Kit Package 	
Colour: Grey Matt		Colour: Grey Matt		Colour: Grey Matt		Colour: Grey Matt	
Load (kg)	Item code	Load (kg)	Item code	Load (kg)	Item code	Load (kg)	Item code
40	HT115004A11	40	HT125004A11	40	HT135004A11	40	HT145004A11
				60	HT135006A11	60	HT145006A11

Low inner drawer 88mm, NL 500 mm		High inner drawer 174mm, NL 500 mm	
Kit Package 		Kit Package 	
Colour: Grey Matt		Colour: Grey Matt	
Load (kg)	Item code	Load (kg)	Item code
40	HT115004Q11	60	HT135006Q31

*Front section not included in the kit

*Front section and square cross rail not included in the kit

Optional for inner drawer MAGIC-PRO


Front section, length 1100mm		Square cross rail, length 1100mm		Front fixing-brackets (left/right) H88		Front fixing-brackets (left/right) H174	
Colour	Item code	Colour	Item code	Colour	Item code	Colour	Item code
Grey matt	HT10022	Grey matt	HT10071	Grey matt	HT11012	Grey matt	HT13014

PURE-PRO

Low standard drawer 90mm, NL 500 mm



Kit Package




Colour: Grey Matt

Load (kg)	Item code
40	HQ11500A12

High standard drawer 163mm, NL 500 mm



Kit Package




Colour: Grey Matt

Load (kg)	Item code
60	HQ13500A12

Low inner drawer 95mm, NL 500 mm



Kit Package



*Front section and glass-front panel not included in the kit


Colour: Grey Matt

Load (kg)	Item code
40	HQ11500Q14

High inner drawer 168mm, NL 500 mm



Kit Package




*Front section and glass-front panel not included in the kit

Colour: Grey Matt

Load (kg)	Item code
60	HQ13500Q14


Optional for inner drawer PURE-PRO

Front section, length 1100mm




Colour	Item code
Grey matt	HT10022

6mm glass front-panel, for low inner drawer



Cabinet width (mm)	Item code
450	HK11063450
600	HK11063600

6mm glass front-panel, for high inner drawer



Cabinet width (mm)	Item code
450	HK13063450
600	HK13063600

LIFTING SYSTEM TOP-STAYS

SF Series

- Closing speed adjustable, easy to open and stays at any desired position, silent and smooth closing
- Snap-fit mechanism makes installation and dismantling very easy
- High stability, wide application, provide ideal opening and shutting effects for panels with various dimensions and made of various materials.

ST Series

- Easy to open and stays at any desired position, silent and smooth closing, full access to the inside of cabinet
- Side, height and depth adjustments - 3D front adjustment of both fronts
- Tool free assembly and removal, easy and fast installation



TOP-STAYS


SF Series



Description

- Opening angle 107° / 100°
- Cabinet width up to 1800mm
- Door thickness: 16-28mm
- 3D door adjustments
Height adjustment: +/-2mm
Depth adjustment: +/-2mm
Side adjustment: +/-2mm
- Easy to open, and stays at any desired position
- Adjustable soft-closing speed
- Adjustable opening and hovering forces
- Tool free assembly and removal
- Single and dual-colour caps at your disposal

Kit Package



Power Factor (LF)	Cabinet Height	Item code
1500-4900	350-500mm	SF00AM02B
3200-9000	400-700mm	SF00AH02B


ST Series Bi-fold



Description

- Cabinet width up to 1800mm
- Cabinet height: 730-799mm
- Door thickness: 16-28mm
- 3D door adjustments of both fronts
- Easy to open, and stays at any desired position
- Adjustable soft-closing speed
- Adjustable opening and hovering forces
- Tool free assembly and removal

Kit Package



Cabinet Height KH (mm)	Door weight (kg)	Item code
730-799	6.3-10.6	ST05AM02B
730-799	10.5-18.1	ST05AH02B



www.indofitting.com

Quality Fittings, Elevated Living

Head Office

Jakarta

PT. Indofitting Lestari
Jl. Agung Timur 9 Blok O1 No.33 / 34, Jakarta Utara
Daerah Khusus Ibukota Jakarta 14350
Telp : (021) 650 8743 / 44
WhatsApp : +62 811-8881-1798

✉ marketing@indofitting.com

📷 [indofitting](https://www.instagram.com/indofitting)

Our Branchs

Bandung

Jl. Batununggal Indah Raya No. 243, Kota Bandung 40266
Telp : (022) 8730 4677

Semarang

Jl. Majapahit 65 C, Semarang 50249
Telp : (024) 673 4122 / 4178

Bali

Jl. Gatot Subroto Timur No. 83 X / D, Denpasar, Bali 80234
Telp : (0361) 906 0017 / 906 0707
WhatsApp : +62 812-9090-4988

Surabaya

Jl. Jemur Andayani No 46D, Surabaya 60291
Telp : (031) 841 2346
WhatsApp : +62 823 3775 8374

